



Design For Manufacturing

2026.09.04

Outlines

Description and Proposal


- ▶ **General Information**
- ▶ **Gate location**
- ▶ **Tooling size and cavity layout**
- ▶ **Ejector pin location**
- ▶ **Parting Line Analysis**
- ▶ **Draft analysis**
- ▶ **Mold Structure**

General Information

Customer Name	RWC
Part Name	12mm x 1/2 BSP STRAIGHT ADAPTOR BODY
Material	POM Acetal unfilled
Shrinkage	20/1000
Part No.	CP-01U14M-01
Cavities	1*4Cav.
Injection concept	Hot Runner System 4 drops for 4 Cav. open gate (YUDO)
Cavity Steel	Finkl D2 Tool Steel / 56~59 HRC
Core Steel	Finkl D2 Tool Steel / 56~59 HRC
Number of slider	2
Number of lifter	N/A
Injection machine Type	180TON (Recommended value)
Tool supplier	Gateway Corp.
Designer	Robin / Ben
Proposal version	2026-09-04

Tooling size and cavity layout

Description and Proposal





Parting Line Analysis

Parting line / Lifter


— P.L

— LIFTER



Draft Analysis



Description and Proposal



The red surfaces shows no draft angle for model. We suggest adding a 1° draft to avoid drag marks during ejection. Please review and confirm your approval.

Mold Structure



Description and Proposal



Gate location

Description and Proposal



Gate location and gate size is around $\varnothing 1.8$ mm



We plan to set the gate location at red dot area. However, a gate mark will be left at this position.
Please review and confirm if this is acceptable.

Ejector pin location

Description and Proposal



We will place the ejector pins according to the drawing.